

Chem-Impex International Inc.

Tel: (630) 766-2112

E-mail: sales@chemimpex.com

Shipping and Correspondence:

935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218

Web site: www.chemimpex.com

Manufacturing site:

825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	01604
NAME:	Iron(III) sulfate
SYNONYMS:	Ferric sulfate
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

CORROSIVE TO METALS (CATEGORY 1), H290

ACUTE TOXICITY, ORAL (CATEGORY 4), H302

SKIN IRRITATION (CATEGORY 2), H315

SERIOUS EYE DAMAGE (CATEGORY 1), H318

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H290	MAY BE CORROSIVE TO METALS.
H302	HARMFUL IF SWALLOWED.
H315	CAUSES SKIN IRRITATION.
H318	CAUSES SERIOUS EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)

P234	KEEP ONLY IN ORIGINAL CONTAINER.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE PROTECTION.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL. RINSE MOUTH.
P302 + P352	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P305 + P351 + P338 + P310	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P390	ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.
P406	STORE IN CORROSIVE RESISTANT CONTAINER WITH A RESISTANT INNER LINER.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED
BY GHS** NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $\text{Fe}_2(\text{SO}_4)_3$

MW: 399.9
CAS-NO. 10028-22-5
PURITY: 20.5-22.5% (Assay as is)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
IRON(III) SULFATE HYDRATE (X H₂O)		
	ACUTE TOX. 4; SKIN IRRIT. 2; EYE DAM. 1; H302, H315, H318	<= 100 %

SULPHURIC ACID		
	MET. CORR. 1; SKIN CORR. 1A; EYE DAM. 1; H290, H314, H318 CONCENTRATION LIMITS: >= 1 %: MET. CORR. 1, H290; >= 15 %: SKIN CORR. 1A, H314; 5 - < 15 %: SKIN IRRIT. 2, H315; 5 - < 15 %: EYE IRRIT. 2, H319;	>= 1 - < 5 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	SHOW THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	AFTER INHALATION: FRESH AIR.
IN CASE OF SKIN CONTACT	IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.
IN CASE OF EYE CONTACT	AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.
IF SWALLOWED	AFTER SWALLOWING: IMMEDIATELY MAKE VICTIM DRINK WATER (TWO GLASSES AT MOST). CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

**INDICATION OF ANY
IMMEDIATE MEDICAL
ATTENTION AND
SPECIAL TREATMENT
NEEDED**

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA
USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
CHEMICAL OR CARBON DIOXIDE. USE EXTINGUISHING
MEASURES THAT ARE APPROPRIATE TO LOCAL
CIRCUMSTANCES AND THE SURROUNDING
ENVIRONMENT.

UNSUITABLE EXTINGUISHING MEDIA
FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF
EXTINGUISHING AGENTS ARE GIVEN. FOR THIS
SUBSTANCE/MIXTURE NO LIMITATIONS OF
EXTINGUISHING AGENTS ARE GIVEN.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

SULFUR OXIDES, IRON OXIDES
NOT COMBUSTIBLE.
AMBIENT FIRE MAY LIBERATE HAZARDOUS VAPOURS.

ADVICE FOR FIREFIGHTERS

STAY IN DANGER AREA ONLY WITH SELF-CONTAINED
BREATHING APPARATUS. PREVENT SKIN CONTACT BY
KEEPING A SAFE DISTANCE OR BY WEARING
SUITABLE PROTECTIVE CLOTHING.

FURTHER INFORMATION

SUPPRESS (KNOCK DOWN) GASES/VAPORS/MISTS
WITH A WATER SPRAY JET. PREVENT FIRE
EXTINGUISHING WATER FROM CONTAMINATING
SURFACE WATER OR THE GROUND WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

ADVICE FOR NON-EMERGENCY PERSONNEL: AVOID
INHALATION OF DUSTS. AVOID SUBSTANCE CONTACT.
ENSURE ADEQUATE VENTILATION. EVACUATE THE
DANGER AREA, OBSERVE EMERGENCY PROCEDURES,
CONSULT AN EXPERT. FOR PERSONAL PROTECTION
SEE SECTION 8.

**ENVIRONMENTAL
PRECAUTIONS**

DO NOT LET PRODUCT ENTER DRAINS.

**METHODS AND
MATERIALS FOR
CONTAINMENT AND
CLEANING UP**COVER DRAINS. COLLECT, BIND, AND PUMP OFF
SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS
(SEE SECTIONS 7 AND 10). TAKE UP DRY. DISPOSE OF
PROPERLY. CLEAN UP AFFECTED AREA. AVOID
GENERATION OF DUSTS.**REFERENCE TO OTHER
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE
HANDLING**

FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE
STORAGE, INCLUDING
ANY INCOMPATIBILITIES**

TIGHTLY CLOSED. DRY.

HYGROSCOPIC LIGHT SENSITIVE.

Store at RT

SPECIFIC END USE(S)APART FROM THE USES MENTIONED IN SECTION 1.2
NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
IRON(III) SULFATE HYDRATE (X H ₂ O)	15244-10-7	TWA	1 MG/M ³	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
		TWA	1 MG/M ³	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		PEL	1 MG/M ³	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS
SULPHURIC ACID	7664-93-9	TWA	0.2 MG/M ³	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)

		TWA	1 MG/M3	USA. OSHA - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS - 1910.1000
		TWA	1 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS

IMMEDIATELY CHANGE CONTAMINATED CLOTHING.
APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS
AND FACE AFTER WORKING WITH SUBSTANCE.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

USE EQUIPMENT FOR EYE PROTECTION TESTED AND
APPROVED UNDER APPROPRIATE GOVERNMENT
STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
TIGHTLY FITTING SAFETY GOGGLES

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED
PRIOR TO USE. USE PROPER GLOVE REMOVAL
TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER
SURFACE) TO AVOID SKIN CONTACT WITH THIS
PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER
USE IN ACCORDANCE WITH APPLICABLE LAWS AND
GOOD LABORATORY PRACTICES. WASH AND DRY
HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER
SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER
FROM EN 374, CONTACT THE SUPPLIER OF THE CE
APPROVED GLOVES. THIS RECOMMENDATION IS
ADVISORY ONLY AND MUST BE EVALUATED BY AN
INDUSTRIAL HYGIENIST AND SAFETY OFFICER
FAMILIAR WITH THE SPECIFIC SITUATION OF
ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD
NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR
ANY SPECIFIC USE SCENARIO.

BODY PROTECTION	PROTECTIVE CLOTHING
RESPIRATORY PROTECTION	FOR NUISANCE EXPOSURES USE TYPE P95 (US) OR TYPE P1 (EU EN 143) PARTICLE RESPIRATOR.FOR HIGHER LEVEL PROTECTION USE TYPE OV/AG/P99 (US) OR TYPE ABEK-P2 (EU EN 143) RESPIRATOR CARTRIDGES. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Grayish brown granules
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	ACIDIC
MELTING	480 °C
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	THE PRODUCT IS NOT FLAMMABLE.
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	3.097
WATER SOLUBILITY	SOLUBLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION	DOES NOT IGNITE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	THE SUBSTANCE OR MIXTURE IS NOT CLASSIFIED AS OXIDIZING.
OTHER SAFETY INFORMATION	NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD AMBIENT CONDITIONS (ROOM TEMPERATURE) . STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	AVOID MOISTURE. LIGHT.
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - SULFUR OXIDES, IRON OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - > 500 - < 2,000 MG/KG (OECD TEST GUIDELINE 401) INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	SKIN - RABBIT
SERIOUS EYE DAMAGE/EYE IRRITATION	EYES - RABBIT
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE

GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	<p>RTECS: NO8520000</p> <p>OVERDOSE OF IRON COMPOUNDS MAY HAVE A CORROSIVE EFFECT ON THE GASTROINTESTINAL MUCOSA AND BE FOLLOWED BY NECROSIS, PERFORATION, AND STRICTURE FORMATION. SEVERAL HOURS MAY ELAPSE BEFORE SYMPTOMS THAT CAN INCLUDE EPIGASTRIC PAIN, DIARRHEA, VOMITING, NAUSEA, AND HEMATEMESIS OCCUR. AFTER APPARENT RECOVERY A PERSON MAY EXPERIENCE METABOLIC ACIDOSIS, CONVULSIONS, AND COMA HOURS OR DAYS LATER. FURTHER COMPLICATIONS MAY DEVELOP LEADING TO ACUTE LIVER NECROSIS THAT CAN RESULT IN DEATH DUE TO HEPATIC COMA.</p> <p>TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.</p> <p>STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE</p>

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

HARMFUL TO FISH. INFORMATION GIVEN IS BASED ON DATA ON THE INGREDIENTS AND THE ECOTOXICOLOGY OF SIMILAR PRODUCTS.

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	REMARKS: HARMFUL TO AQUATIC ORGANISMS. (IRON(III) SULFATE HYDRATE (X H ₂ O)) INFORMATION GIVEN IS BASED ON DATA ON THE INGREDIENTS AND THE ECOTOXICOLOGY OF SIMILAR PRODUCTS.
---	--

PERSISTENCE AND DEGRADABILITY

THE METHODS FOR DETERMINING BIODEGRADABILITY ARE NOT APPLICABLE TO INORGANIC SUBSTANCES.

BIOACCUMULATIVE POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS**PRODUCT**

WASTE MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH THE NATIONAL AND LOC NO MIXING WITH OTHER WASTE. HANDLE UNCLEANNED CONTAINERS LIKE THE PRODUCT FOR PROCESSES REGARDING THE RETURN OF CHEMICALS AND CONTAINERS, OR CONTACT US THERE IF YOU HAVE FURTHER QUESTIONS.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
(IRON(III) SULFATE HYDRATE (X H₂O), SULPHURIC
ACID)
UN NUMBER: 3260
CLASS: 8
PACKING GROUP: III
REPORTABLE QUANTITY 1000 LBS
(RQ):
POISON INHALATION NO
HAZARD:

IMDG

PROPER SHIPPING NAME: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
(IRON(III) SULFATE HYDRATE (X H₂O), SULPHURIC
ACID)
UN NUMBER: 3260
CLASS: 8
PACKING GROUP: III
EMS-NO: F-A, S-B

IATA

PROPER SHIPPING NAME: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
(IRON(III) SULFATE HYDRATE (X H₂O), SULPHURIC
ACID)
UN NUMBER: 3260
CLASS: 8
PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS

	CAS-NO.	REVISION DATE
Iron(III) sulfate	10028-22-5	07/01/2007

SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO
REPORTING LEVELS ESTABLISHED BY SARA TITLE III,
SECTION 313:

	CAS-NO.	REVISION DATE
Iron(III) sulfate	10028-22-5	07/01/2007

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H290	MAY BE CORROSIVE TO METALS.
H302	HARMFUL IF SWALLOWED.
H315	CAUSES SKIN IRRITATION.
H318	CAUSES SERIOUS EYE DAMAGE.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS
CAS:	CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.1

REVISION DATE: 01/27/2017