Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 02359

NAME: para-Toluenesulfonic acid monohydrate

SYNONYMS: 4-Methylbenzenesulfonic acid monohydrate

ð-Toluenesulfonic acid monohydrate

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) CORROSIVE TO METALS (CATEGORY 1), H290 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H290 MAY BE CORROSIVE TO METALS.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

H318 CAUSES SERIOUS EYE DAMAGE.

H335 MAY CAUSE RESPIRATORY IRRITATION.

PRECAUTIONARY STATEMENT(S)

P234 KEEP ONLY IN ORIGINAL CONTAINER. P260 DO NOT BREATHE DUST OR MIST.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE

VOMITING.

P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL

CONTAMINATED CLOTHING. RINSE SKIN WITH

WATER/SHOWER.

P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A

POISON CENTER OR DOCTOR/PHYSICIAN.

P305 + P351 + P338 + IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

P310 MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A

POISON CENTER OR DOCTOR/PHYSICIAN.

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P390 ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.
P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER

TIGHTLY CLOSED.

P405 STORE LOCKED UP.

P406 STORE IN CORROSIVE RESISTANT STAINLESS STEEL

CONTAINER WITH A RESISTANT INNER LINER.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $C_7H_8O_3S\cdot H_2O$

MW: 190.22

CAS-NO. 6192-52-5

PURITY: $\geq 88\%$ (Assay)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION				
P-TOLUENSULPHONIC ACID MONOHYDRATE						
	MET. CORR. 1; SKIN CORR. 1B;	<= 100 %				
	EYE IRRIT. 2A; STOT SE 3;					
	H290, H314, H319, H335					
SULFURIC ACID						
	MET. CORR. 1; SKIN CORR. 1A;	>= 1 - < 5 %				
	EYE DAM. 1; H290, H314, H318					

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF

WATER. CONSULT A PHYSICIAN.

IN CASE OF EYE

CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A

PHYSICIAN.CONTINUE RINSING EYES DURING

TRANSPORT TO HOSPITAL.

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING

BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

MOST IMPORTANT

AND DELAYED

SYMPTOMS AND

EFFECTS, BOTH ACUTE

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL **ATTENTION AND** SPECIAL TREATMENT **NEEDED**

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS CARBON OXIDES, SULPHUR OXIDES

ARISING FROM THE

ENVIRONMENTAL

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL WEAR RESPIRATORY PROTECTION. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR PRECAUTIONS, GAS. ENSURE ADEQUATE VENTILATION. EVACUATE **PROTECTIVE EQUIPMENT AND** PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. **EMERGENCY** FOR PERSONAL PROTECTION SEE SECTION 8.

PROCEDURES

DO NOT LET PRODUCT ENTER DRAINS. **PRECAUTIONS**

METHODS AND PICK UP AND ARRANGE DISPOSAL WITHOUT **MATERIALS FOR** CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN **CONTAINMENT AND** SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. **CLEANING UP**

REFERENCE TO OTHER FOR DISPOSAL SEE SECTION 13. **SECTIONS**

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE AVOID CONTACT WITH SKIN AND EYES. AVOID HANDLING FORMATION OF DUST AND AEROSOLS.FURTHER

FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

ANY INCOMPATIBILITIES STORAGE CLASS (TRGS 510): NON-COMBUSTIBLE,

CORROSIVE HAZARDOUS MATERIALS

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
SULFURIC ACID	7664-93-9	TWA	0.2 MG/M3	USA. ACGIH
				THRESHOLD
				LIMIT VALUES
				(TLV)
		TWA	1 MG/M3	USA. OSHA -
				TABLE Z-1
				LIMITS FOR
				AIR
				CONTAMINANTS
				- 1910.1000
		TWA	1 MG/M3	USA.
				OCCUPATIONAL
				EXPOSURE
				LIMITS
				(OSHA) - TABLE
				Z-1 LIMITS FOR
				AIR
				CONTAMINANTS

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White cystals or white to pink crystalline powder

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS

REACTIONS

NO DATA AVAILABLE

CONDITIONS TO AVOID NO DATA AVAILABLE

INCOMPATIBLE MATERIALS

STRONG OXIDIZING AGENTS, STRONG BASES

HAZARDOUS OTHER DECOMPOSITION PRODUCTS - NO DATA

DECOMPOSITION AVAILABLE

PRODUCTS IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

SKIN NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN NO DATA AVAILABLE

SENSITISATION

SENSITISATION

NO DATA AVAILABLE

MUTAGENICITY

GERM CELL

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

ACGIH: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY ACGIH.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

MAY CAUSE RESPIRATORY IRRITATION.

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL RTECS: NOT AVAILABLE

INFORMATION BURNING SENSATION, COUGH, WHEEZING,

LARYNGITIS, SHORTNESS OF BREATH, SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE

OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE

NOT BEEN THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE

STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE (SULFURIC ACID)

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

RESULTS OF PBT AND

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

VPVB ASSESSMENT

CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT CONTACT A LICENSED PROFESSIONAL WASTE

DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

TO A LICENSED DISPOSAL COMPANY.

CONTAMINATED

PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: ARYL SULFONIC ACIDS, SOLID

UN NUMBER: 2585 CLASS: 8 PACKING GROUP: III

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: ARYLSULPHONIC ACIDS, SOLID

UN NUMBER: 2585
CLASS: 8
PACKING GROUP: III
EMS-NO: F-A, S-B

IATA

PROPER SHIPPING NAME: ARYLSULPHONIC ACIDS, SOLID

UN NUMBER: 2585 CLASS: 8 PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 302:

CAS-NO. REVISION DATE

SULFURIC ACID 7664-93-9 7/1/2007

SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 313:

CAS-NO. REVISION DATE

SULFURIC ACID 7664-93-9 7/1/2007

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

para-Toluenesulfonic acid 6192-52-5 4/24/1993

monohydrate

SULFURIC ACID 7664-93-9 7/1/2007

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

para-Toluenesulfonic acid 6192-52-5 4/24/1993

monohydrate

SULFURIC ACID 7664-93-9 7/1/2007

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

para-Toluenesulfonic acid 6192-52-5 4/24/1993

monohydrate

SULFURIC ACID 7664-93-9 7/1/2007

CALIFORNIA PROP. 65 WARNING! THIS PRODUCT CONTAINS A CHEMICAL

COMPONENTS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE

CANCER

CANCER.

CAS-NO. REVISION DATE

para-Toluenesulfonic acid 6192-52-5 9/28/2007

monohydrate

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

EYE DAM. SERIOUS EYE DAMAGE

EYE IRRIT. EYE IRRITATION

H290 MAY BE CORROSIVE TO METALS.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

H318 CAUSES SERIOUS EYE DAMAGE.

H319 CAUSES SERIOUS EYE IRRITATION. H335 MAY CAUSE RESPIRATORY IRRITATION.

MET. CORR. CORROSIVE TO METALS

SKIN CORR. SKIN CORROSION

STOT SE SPECIFIC TARGET ORGAN TOXICITY - SINGLE

EXPOSURE

HMIS RATING

HEALTH HAZARD: 3 CHRONIC HEALTH *

HAZARD:

FLAMMABILITY: 0 PHYSICAL HAZARD 2

NFPA RATING

HEALTH HAZARD: 3
FIRE HAZARD: 0
REACTIVITY HAZARD: 0

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.