# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 14289

NAME: Pyridinium chlorochromate

SYNONYMS: PCC

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

OXIDIZING SOLIDS (CATEGORY 2), H272 SKIN SENSITISATION (CATEGORY 1), H317 CARCINOGENICITY (CATEGORY 1B), H350 ACUTE AQUATIC TOXICITY (CATEGORY 1), H400 CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H272 MAY INTENSIFY FIRE; OXIDISER.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H350 MAY CAUSE CANCER.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

PRECAUTIONARY STATEMENT(S)

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.

P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE

BEEN READ AND UNDERSTOOD.

P210 KEEP AWAY FROM HEAT.

P220 KEEP/STORE AWAY FROM CLOTHING/ COMBUSTIBLE

MATERIALS.

P221 TAKE ANY PRECAUTION TO AVOID MIXING WITH

COMBUSTIBLES.

P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY.

P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE

ALLOWED OUT OF THE WORKPLACE.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE

PROTECTION.

P281 USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED.
P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/

ATTENTION.

P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL

ADVICE/ ATTENTION.

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR

ALCOHOL-RESISTANT FOAM FOR EXTINCTION.

P391 COLLECT SPILLAGE. P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

**OTHERWISE** 

CLASSIFIED (HNOC) OR NOT COVERED BY GHS

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_5H_5N\cdot ClCrO_3H$ 

MW: 215.56

CAS-NO. 26299-14-9

PURITY:  $\geq 99\%$  (titration)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Pyridinium chlorochromate		
	OX. SOL. 2; SKIN SENS. 1;	<= 100 %
	CARC. 1B; AQUATIC ACUTE 1;	
	AQUATIC CHRONIC 1; H272,	
	H317, H350, H410	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### **SECTION 4. FIRST-AID MEASURES**

**CONTACT** 

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN WASH OFF WITH SOAP AND PLENTY OF WATER.

**CONTACT** CONSULT A PHYSICIAN.

**IN CASE OF EYE** FLUSH EYES WITH WATER AS A PRECAUTION.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANT THE MOST IMPORTANT KNOWN SYMPTOMS AND

**SYMPTOMS AND** EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

**EFFECTS, BOTH ACUTE** SECTION 2.2) AND/OR IN SECTION 11 **AND DELAYED** 

INDICATION OF ANY NO DATA AVAILABLE

IMMEDIATE MEDICAL

#### SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS CARBON OXIDES, NITROGEN OXIDES (NOX),
ARISING FROM THE HYDROGEN CHLORIDE GAS, CHROMIUM OXIDES

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONALUSE PERSONAL PROTECTIVE EQUIPMENT. AVOIDPRECAUTIONS,DUST FORMATION. AVOID BREATHING VAPOURS, MIST

**PROTECTIVE** OR GAS. ENSURE ADEQUATE VENTILATION. **EQUIPMENT AND** EVACUATE PERSONNEL TO SAFE AREAS. AVOID

**EMERGENCY** BREATHING DUST.

**CLEANING UP** 

**SECTIONS** 

**PROCEDURES** FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE **PRECAUTIONS** TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

METHODS ANDSWEEP UP AND SHOVEL. CONTAIN SPILLAGE, ANDMATERIALS FORTHEN COLLECT WITH AN ELECTRICALLY PROTECTEDCONTAINMENT ANDVACUUM CLEANER OR BY WET- BRUSHING AND

PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER** FOR DISPOSAL SEE SECTION 13.

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.KEEP AWAY

FROM HEAT AND SOURCES OF IGNITION. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

KEEP IN A DRY PLACE.

STORAGE CLASS (TRGS 510): OXIDIZING HAZARDOUS

**MATERIALS** 

**SPECIFIC END USE(S)** 

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL

EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

#### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** 

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

#### **SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT
MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT
MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

### **BODY PROTECTION**

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

# RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Orange to red-brown powder ODOUR NO DATA AVAILABLE ODOUR THRESHOLD NO DATA AVAILABLE PH NO DATA AVAILABLE

MELTING 194-204 °C

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

**TEMPERATURE** 

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE

OXIDIZING PROPERTIES THE SUBSTANCE OR MIXTURE IS CLASSIFIED AS

OXIDIZING WITH THE CATEGORY 2.

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

#### SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS

NO DATA AVAILABLE

**CONDITIONS TO AVOID** NO DATA AVAILABLE

INCOMPATIBLE ALCOHOLS, ACETONE, METHANOL **MATERIALS** 

**HAZARDOUS** OTHER DECOMPOSITION PRODUCTS - NO DATA

DECOMPOSITION **AVAILABLE** 

IN THE EVENT OF FIRE: SEE SECTION 5 **PRODUCTS** 

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

**ACUTE TOXICITY** NO DATA AVAILABLE

> INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE

SKIN NO DATA AVAILABLE

**CORROSION/IRRITATION** 

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN

**SENSITISATION** 

GERM CELL NO DATA AVAILABLE

MUTAGENICITY

CARCINOGENICITY PRESUMED TO HAVE CARCINOGENIC POTENTIAL

FOR HUMANS MAY CAUSE CANCER BY INHALATION.

NO COMPONENT OF THIS PRODUCT PRESENT AT IARC:

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

NO COMPONENT OF THIS PRODUCT PRESENT AT

ACGIH:

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY ACGIH.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN** 

**TOXICITY - SINGLE** 

**EXPOSURE** 

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

**TOXICITY - REPEATED** 

**EXPOSURE** 

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

ADDITIONAL

RTECS: NOT AVAILABLE

INFORMATION TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL,

PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE

NOT BEEN THOROUGHLY INVESTIGATED.

## SECTION 12. ECOLOGICAL INFORMATION

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

**POTENTIAL** 

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

**RESULTS OF PBT AND** 

VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE

EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC

LIFE WITH LONG LASTING EFFECTS.

# SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

**PRODUCT** BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH

AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA

CARE IN IGNITING AS THIS MATERIAL IS HIGHLY

FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

DISSOLVE OR MIX THE MATERIAL WITH A

COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND

SCRUBBER.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

#### SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: OXIDIZING SOLID, N.O.S.(Pyridinium chlorochromate)

UN NUMBER: 1479 CLASS: 5.1 PACKING GROUP: II

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: OXIDIZING SOLID, N.O.S.(Pyridinium chlorochromate)

UN NUMBER: 1479
CLASS: 5.1
PACKING GROUP: II
EMS-NO: F-A, S-Q

MARINE POLLUTANT: YES

**IATA** 

PROPER SHIPPING NAME: OXIDIZING SOLID, N.O.S.(Pyridinium chlorochromate)

UN NUMBER: 1479 CLASS: 5.1 PACKING GROUP: II

#### SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

**SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

> COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DEMINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW COMPONENTS MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

REVISION DATE CAS-NO.

Pyridinium chlorochromate 26299-14-9 12/1/1989

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. **REVISION DATE** 

Pyridinium chlorochromate 26299-14-9 12/1/1989

**CALIFORNIA PROP. 65** 

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS COMPONENTS

KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE

HARM.

#### SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

AQUATIC ACUTE ACUTE AQUATIC TOXICITY AQUATIC CHRONIC CHRONIC AQUATIC TOXICITY

CARC. CARCINOGENICITY

H272 MAY INTENSIFY FIRE; OXIDISER.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H350 MAY CAUSE CANCER.

H400 VERY TOXIC TO AQUATIC LIFE.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

OX. SOL. OXIDIZING SOLIDS SKIN SENS. SKIN SENSITISATION

**HMIS RATING** 

**HEALTH HAZARD:** 2 CHRONIC HEALTH

HAZARD:

FLAMMABILITY: 0 PHYSICAL HAZARD 2

NFPA RATING

**HEALTH HAZARD:** 2 0 FIRE HAZARD: REACTIVITY HAZARD: 2 SPECIAL HAZARD.I: OX MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

#### IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.