# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

#### SAFETY DATA SHEET

#### SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 30268

NAME: Cadmium sulfide

SYNONYMS:

24 HOUR EMERGENCY (800) 535-5053(USA)

TELEPHONE:

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

#### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 4), H302 GERM CELL MUTAGENICITY (CATEGORY 2), H341 CARCINOGENICITY (CATEGORY 1B), H350 REPRODUCTIVE TOXICITY (CATEGORY 2), H361 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 1), H372 ACUTE AQUATIC TOXICITY (CATEGORY 1), H400 CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H302 HARMFUL IF SWALLOWED.

H341 SUSPECTED OF CAUSING GENETIC DEFECTS.

H350 MAY CAUSE CANCER.

H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN

CHILD.

H372 CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR

REPEATED EXPOSURE.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

PRECAUTIONARY STATEMENT(S)

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.

P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE

BEEN READ AND UNDERSTOOD.

P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING. P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/

PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.

P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/

ATTENTION.

P391 COLLECT SPILLAGE. P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

**OTHERWISE** 

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: CdS

MW: 144.48

CAS-NO. 1306-23-6

PURITY: ≥98%

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION		
CADMIUM SULPHIDE INCLUDED IN THE CANDIDATE LIST OF SUBSTANCES OF				
VERY HIGH CONCERN (SVHC) ACCORDING TO REGULATION (EC) NO. 1907/2006				
(REACH)				
	ACUTE TOX. 4; MUTA. 2;	<= 100%		
	CARC. 1B; REPR. 2; STOT RE 1;			
	AQUATIC ACUTE 1; AQUATIC			
	CHRONIC 1; H302, H341, H350,			
	H361, H372, H410			

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### **SECTION 4. FIRST-AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

**CONTACT** 

WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE

VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A

PHYSICIAN.

IN CASE OF EYE

**CONTACT** 

FLUSH EYES WITH WATER AS A PRECAUTION.

**IF SWALLOWED** NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANT SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED NO DATA AVAILABLE

#### **SECTION 5. FIRE AND EXPLOSION DATA**

**EXTINGUISHING MEDIA** 

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS SULPHUR OXIDES, CADMIUM/CADMIUM OXIDES

ARISING FROM THE SUBSTANCE OR MIXTURE

**ADVICE FOR** WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

## SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL**USE PERSONAL PROTECTIVE EQUIPMENT. AVOID**PRECAUTIONS,**DUST FORMATION. AVOID BREATHING VAPOURS, MIST

**PROTECTIVE** OR GAS. ENSURE ADEQUATE VENTILATION. **EQUIPMENT AND** EVACUATE PERSONNEL TO SAFE AREAS. AVOID

**EMERGENCY** BREATHING DUST.

**PROCEDURES** FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE **PRECAUTIONS** TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

METHODS AND
PICK UP AND ARRANGE DISPOSAL WITHOUT
CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN
CONTAINMENT AND
SUITABLE CLOSED CONTAINEDS FOR DISPOSAL

**CONTAINMENT AND** SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. **CLEANING UP** 

**REFERENCE TO OTHER** FOR DISPOSAL SEE SECTION 13. **SECTIONS** 

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE AVOID CONTACT WITH SKIN AND EYES. AVOID HANDLING FORMATION OF DUST AND AEROSOLS.FURTHER

FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

**ANY INCOMPATIBILITIES** KEEP IN A DRY PLACE.

STORAGE CLASS (TRGS 510): NON-COMBUSTIBLE, ACUTE TOXIC CAT.3 / TOXIC HAZARDOUS MATERIALS OR HAZARDOUS MATERIALS CAUSING CHRONIC

**EFFECTS** 

**SPECIFIC END USE(S)** 

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS	
			PARAMETERS		
CADMIUM	1306-23-6	TWA	0.01 MG/M3	USA. ACGIH THRESHOLD	
SULPHIDE				LIMIT VALUES	
				(TLV)	
	REMARKS	S KIDNEY DAMAGE			
		SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL			
		EXPOSURE INDEX OR INDICES			
		(SEE BEI SECTION)			
		SUSPECTED HUMAN CARCINOGEN			
		VARIES			
		TWA	0.010000	USA. ACGIH THRESHOLD	
			MG/M3	LIMIT VALUES	
				(TLV)	
		KIDNEY DAMAGE			
		SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL			
		EXPOSURE INDEX OR INDICES			
		(SEE BEI SECTION)			
		SUSPECTED HUMAN CARCINOGEN			
		VARIES			

	TWA	0.002 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)	
	KIDNEY DAM	IAGE	()	
	SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL			
	EXPOSURE INDEX OR INDICES			
	(SEE BEI SECTION)			
	SUSPECTED HUMAN CARCINOGEN VARIES			
	TWA	0.002000 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)	
	KIDNEY DAM	<b>IAGE</b>	12 2	
	SUBSTANCES	SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL		
	EXPOSURE IN	EXPOSURE INDEX OR INDICES		
	(SEE BEI SEC	(SEE BEI SECTION)		
	SUSPECTED 1	HUMAN CARCINO	GEN	
	VARIES			
		POTENTIAL OCCUPATIONAL CARCINOGEN		
	SEE APPEND			
	PEL	0.005000 MG/M3	OSHA SPECIFICALLY	
			REGULATED	
			CHEMICALS/CARCINOGENS	
	1910.1027			
			LL OCCUPATIONAL	
		EXPOSURES TO CADMIUM AND		
		CADMIUM COMPOUNDS, IN ALL FORMS, AND IN ALL		
		INDUSTRIES COVERED BY		
	THE OCCUPATIONAL SAFETY AND HEALTH ACT, EXCEPT THE CONSTRUCTIONRELATED			
	INDUSTRIES, WHICH ARE COVERED UNDER 29 CFR 1926.63.			
	OSHA SPECIFICALLY REGULATED CARCINOGEN			
	POTENTIAL OCCUPATIONAL CARCINOGEN			
	SEE APPEND	IX A		

## BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS

COMPONENT	CAS-NO.	PARAMETERS		BIOLOGICAL SPECIMEN	BASIS
CADMIUM SULPHIDE	1306-23-6	CADMIUM	5 MG/L	IN BLOOD	ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI)
	REMARKS	NOT CRITICAL			
		CADMIUM	5MG/G CREATININE	URINE	ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI)
		NOT CRITICAL			

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT

THE END OF WORKDAY.

#### PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

**BREAK THROUGH TIME: 480 MIN** 

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374,

CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS

RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF

ANTICIPATED USE BY OUR CUSTOMERS. IT

SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR

ANY SPECIFIC USE SCENARIO.

**BODY PROTECTION** 

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE

ENVIRONMENT MUST BE AVOIDED.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Yellowish to orange powder

ODOUR ODOURLESS

ODOUR THRESHOLD NO DATA AVAILABLE NO DATA AVAILABLE

**MELTING** 

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: LOG POW: 2.886

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

**TEMPERATURE** 

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

#### SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

**CONDITIONS TO AVOID** NO DATA AVAILABLE

INCOMPATIBLE MATERIALS

STRONG OXIDIZING AGENTS

HAZARDOUS OTHER DECOMPOSITION PRODUCTS - NO DATA

**DECOMPOSITION** AVAILABLE

**PRODUCTS** IN THE EVENT OF FIRE: SEE SECTION 5

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 7,080 MG/KG

INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE

**SKIN** NO DATA AVAILABLE

**CORROSION/IRRITATION** 

**SERIOUS EYE** NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

**RESPIRATORY OR SKIN** NO DATA AVAILABLE

SENSITISATION

**GERM CELL** MAY ALTER GENETIC MATERIAL.

MUTAGENICITY IN VITRO TESTS SHOWED MUTAGENIC EFFECTS

**CARCINOGENICITY** THIS IS OR CONTAINS A COMPONENT THAT HAS

BEEN REPORTED TO BE CARCINOGENIC BASED ON

ITS IARC, OSHA, ACGIH, NTP, OR EPA

CLASSIFICATION. CHRONIC EXPOSURE TO CADMIUM

MAY CAUSE LUNG AND PROSTATE CANCER.

POSSIBLE HUMAN CARCINOGEN

IARC: 1 - GROUP 1: CARCINOGENIC TO HUMANS (CADMIUM

SULPHIDE)

NTP: KNOWN TO BE HUMAN CARCINOGEN (CADMIUM

SULPHIDE). THE REFERENCE NOTE HAS BEEN ADDED BY TD BASED ON THE BACKGROUND INFORMATION

OF THE NTP. (CADMIUM SULPHIDE)

OSHA: 1910.1027 (CADMIUM SULPHIDE) OSHA SPECIFICALLY

REGULATED CARCINOGEN (CADMIUM SULPHIDE)

REPRODUCTIVE TOXICITY POSSIBLE RISK OF CONGENITAL MALFORMATION IN

THE FETUS. SUSPECTED HUMAN REPRODUCTIVE

TOXICANT OVEREXPOSURE MAY CAUSE

REPRODUCTIVE DISORDER(S) BASED ON TESTS WITH

LABORATORY ANIMALS.

SPECIFIC TARGET ORGAN

**TOXICITY - SINGLE** 

**EXPOSURE** 

NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN TOXICITY - REPEATED** 

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

ADDITIONAL **INFORMATION**  RTECS: NOT AVAILABLE

ACUTE INHALATION EXPOSURE TO CADMIUM FUMES MAY CAUSE "METAL FUME FEVER" WITH FLU-LIKE SYMPTOMS OF WEAKNESS, FEVER, HEADACHE, CHILLS, NAUSEA, VOMITING,

DIZZINESS, SWEATING, MUSCULAR PAIN, COUGH AND DIFFICULTY BREATHING. ACUTE PULMONARY EDEMA MAY DEVELOP WITHIN 24 HOURS AND REACHES A MAXIMUM BY THREE DAYS. THE FIRST CHRONIC EFFECT OF EXPOSURE TO CADMIUM IS GENERALLY KIDNEY DAMAGE, MANIFESTED BY EXCRETION OF EXCESSIVE PROTEIN IN THE URINE, FOLLOWED BY ANEMIA. TEETH DISCOLORATION AND LOSS OF SMELL. CADMIUM ALSO IS BELIEVED TO CAUSE PULMONARY EMPHYSEMA AND BONE

DISEASE.

STOMACH - IRREGULARITIES - BASED ON HUMAN

EC50 - DAPHNIA MAGNA (WATER FLEA) - 0.16 MG/L -

**EVIDENCE** 

#### **SECTION 12. ECOLOGICAL INFORMATION**

**TOXICITY** 

TOXICITY TO FISH LC50 - PIMEPHALES PROMELAS (FATHEAD MINNOW)

- 0.108 MG/L - 96.0 H

TOXICITY TO DAPHNIA AND

OTHER AQUATIC

48 H

PERSISTENCE AND **DEGRADABILITY** 

**INVERTEBRATES** 

NO DATA AVAILABLE

**BIOACCUMULATIVE** 

**POTENTIAL** 

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND
PBT/VPVB ASSESSMENT NOT AVAILABLE AS
VPVB ASSESSMENT
CHEMICAL SAFETY ASSESSMENT NOT

ENT CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE

EXCLUDED IN THE EVENT OF UNPROFESSIONAL

HANDLING OR DISPOSAL.

VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

#### SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCES,

SOLID, N.O.S.(Cadmium sulfide)

UN NUMBER: 3077 CLASS: 9 PACKING GROUP: III

REPORTABLE QUANTITY

(RQ):

MARINE POLLUTANT: YES POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.(Cadmium sulfide)

UN NUMBER: 3077 CLASS: 9 PACKING GROUP: III F-A, S-F EMS-NO: MARINE POLLUTANT: YES

**IATA** 

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.(Cadmium sulfide)

UN NUMBER: 3077 CLASS: 9 Ш PACKING GROUP:

#### **SECTION 15. REGULATORY INFORMATION**

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

**SARA 313 COMPONENTS** THE FOLLOWING COMPONENTS ARE SUBJECT TO

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 313:

CAS-NO. **REVISION DATE** 

Cadmium sulfide 1306-23-6 4/24/1993

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

CAS-NO. **REVISION DATE** 

Cadmium sulfide 1306-23-6 4/24/1993

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-**REVISION DATE** 

NO.

Cadmium sulfide 1306-23-6 4/24/1993

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. **REVISION DATE** 

Cadmium sulfide 1306-23-6 4/24/1993

**CALIFORNIA PROP. 65** 

KNOWN TO THE STATE OF CALIFORNIA TO CAUSE **COMPONENTS** 

WARNING! THIS PRODUCT CONTAINS A CHEMICAL

CANCER.

CAS-NO. **REVISION DATE** 

Cadmium sulfide 1306-23-6 10/1/1987

> WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

CAS-NO. **REVISION DATE** 

Cadmium sulfide 1306-23-6 10/1/1987

#### SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX. ACUTE TOXICITY

AQUATIC ACUTE ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC CHRONIC AQUATIC TOXICITY

CARC. CARCINOGENICITY

H302 HARMFUL IF SWALLOWED.

H341 SUSPECTED OF CAUSING GENETIC DEFECTS.

H350 MAY CAUSE CANCER.

H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN

CHILD.

H372 CAUSES DAMAGE TO ORGANS THROUGH PROLONGED

OR REPEATED EXPOSURE.

H400 VERY TOXIC TO AQUATIC LIFE.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

#### **HMIS RATING**

HEALTH HAZARD: 1 CHRONIC HEALTH \*

HAZARD:

FLAMMABILITY: 0 PHYSICAL HAZARD 0

#### NFPA RATING

HEALTH HAZARD: 1
FIRE HAZARD: 0
REACTIVITY HAZARD: 0

#### MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

#### IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.