Chem-Impex International Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: <u>sales@chemimpex.com</u> Web site: <u>www.chemimpex.com</u>

Shipping and Correspondence: Manufacturing site: 935 Dillon Drive 825 Dillon Drive

Wood Dale, IL 60191 USA Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 30747

NAME: Methyl undecylenate

SYNONYMS: 10-Undecenoic acid methyl ester

Undecylenic acid methyl ester

Methyl 10-undecenoate

24 HOUR EMERGENCY (800)

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 ACUTE AQUATIC TOXICITY (CATEGORY 1), H400 CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

HAZARD STATEMENT(S)

H302 + H332HARMFUL IF SWALLOWED OR IF INHALED

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

PRECAUTIONARY STATEMENT(S)

AVOID BREATHING DUST/ FUME/ GAS/ MIST/ P261

VAPOURS/ SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

USE ONLY OUTDOORS OR IN A WELL-VENTILATED P271

AREA.

P273 AVOID RELEASE TO THE ENVIRONMENT. P301 + P312IF SWALLOWED: CALL A POISON CENTER OR

DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.

P304 + P340IF INHALED: REMOVE VICTIM TO FRESH AIR AND

KEEP AT REST IN A POSITION COMFORTABLE FOR

BREATHING.

P312 CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF

YOU FEEL UNWELL.

P330 RINSE MOUTH.

P391 COLLECT SPILLAGE.

DISPOSE OF CONTENTS/ CONTAINER TO AN P501

APPROVED WASTE DISPOSAL PLANT.

HAZARDS NOT OTHERWISE

CLASSIFIED (HNOC) OR NOT

COVERED BY GHS

NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $C_{12}H_{22}O_2$

MW: 198.30

CAS-NO. 111-81-9

PURITY: \geq 98% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
COMMINICAL	CELIBORITECTION	COLICELITEDIT

Methyl undecylenate		
	ACUTE TOX. 4; AQUATIC ACUTE	90 - 100 %
	1; AQUATIC CHRONIC 1; H302 +	
	H332, H410	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET

TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

IF INHALED IF BREATHED IN. MOVE PERSON INTO FRESH AIR. IF NOT

BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A

PHYSICIAN.

IN CASE OF SKIN CONTACT WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A

PHYSICIAN.

IN CASE OF EYE CONTACT FLUSH EYES WITH WATER AS A PRECAUTION.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS

PERSON. RINSE MOUTH WITH WATER. CONSULT A

PHYSICIAN.

MOST IMPORTANT SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)

AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL

TREATMENT NEEDED

NO DATA AVAILABLE

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

MEDIA CHEMICAL OR CARBON DIOXIDE

SPECIAL HAZARDS ARISING CARBON OXIDES

FROM THE SUBSTANCE OR

MIXTURE

ADVICE FOR FIREFIGHTERS WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTING IF NECESSARY

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE

VENTILATION.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE

INTO THE ENVIRONMENT MUST BE AVOIDED.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP SOAK UP WITH INERT ABSORBENT MATERIAL AND DISPOSE OF AS HAZARDOUS WASTE. KEEP IN SUITABLE,

CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER

SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID

INHALATION OF VAPOUR OR MIST.

FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO

PREVENT LEAKAGE.

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL

EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL

ENGINEERING CONTROLS HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR

EYE PROTECTION TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

> PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID

SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY

PRACTICES. WASH AND DRY HANDS.

BODY PROTECTION COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE

> TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF

THE DANGEROUS SUBSTANCE AT THE SPECIFIC

WORKPLACE.

RESPIRATORY WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING **PROTECTION**

RESPIRATORS ARE APPROPRIATE USE A FULL-FACE

RESPIRATOR WITH MULTIPURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND

COMPONENTS TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR CEN (EU).

CONTROL OF PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

ENVIRONMENTAL SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE

EXPOSURE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

ODOUR NO DATA AVAILABLE ODOUR THRESHOLD NO DATA AVAILABLE PH NO DATA AVAILABLE

MELTING

POINT/FREEZING POINT

INITIAL BOILING POINT 245 °C(lit.)

AND BOILING RANGE

FLASH POINT

EVAPOURATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

2.1 HPA (1.6 MMHG) AT 25 C - OECD TEST GUIDELINE 104 VAPOUR PRESSURE

NO DATA AVAILABLE VAPOUR DENSITY

RELATIVE DENSITY 0.88

0.0007 G/L AT 20 C - OECD TEST GUIDELINE 105 WATER SOLUBILITY

PARTITION COEFFICIENT: LOG POW: CA.3.6 AT 22 C - OECD TEST GUIDELINE 117

N- OCTANOL/WATER

250 C AT 999 HPA (749 MMHG) **AUTO-IGNITION**

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

NO DATA AVAILABLE VISCOSITY **EXPLOSIVE PROPERTIES** NO DATA AVAILABLE **OXIDIZING PROPERTIES** NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

STABLE UNDER RECOMMENDED STORAGE CONDITIONS. CHEMICAL STABILITY

POSSIBILITY OF NO DATA AVAILABLE

HAZARDOUS REACTIONS

CONDITIONS TO AVOID

INCOMPATIBLE

MATERIALS

STRONG OXIDIZING AGENTS

NO DATA AVAILABLE

HAZARDOUS

OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE

DECOMPOSITION IN THE EVENT OF FIRE: SEE SECTION 5

PRODUCTS

TOXICOLOGICAL INFORMATION **SECTION 11.**

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - MALE AND FEMALE - 1,563 MG/KG

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN - RABBIT

CORROSION/IRRITATION RESULT: NO SKIN IRRITATION

(OECD TEST GUIDELINE 404)

SERIOUS EYE EYES - RABBIT

DAMAGE/EYE IRRITATION RESULT: MILD EYE IRRITATION

(OECD TEST GUIDELINE 405)

RESPIRATORY OR SKIN MAXIMISATION TEST - GUINEA PIG

SENSITISATION DID NOT CAUSE SENSITISATION ON LABORATORY

ANIMALS.

(OECD TEST GUIDELINE 406)

GERM CELL IN VITRO ASSAY MUTAGENICITY S. TYPHIMURIUM

RESULT: NEGATIVE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS

PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC

ACGIH: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: NOT AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT

BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH FLOW-THROUGH TEST EC50 - ONCORHYNCHUS MYKISS

(RAINBOW TROUT) - CA. 0.756 MG/L - 96 H

(OECD TEST GUIDELINE 203)

TOXICITY TO DAPHNIA AND

STATIC TEST EC50 - DAPHNIA MAGNA (WATER FLEA) - CA.

OTHER AQUATIC

1.8 MG/L - 48 H

INVERTEBRATES

(OECD TEST GUIDELINE 202)

Toxicity to algae

STATIC TEST EC50 - SELENASTRUM CAPRICORNUTUM

(GREEN ALGAE) - CA. 0.38 MG/L - 72 H

(OECD TEST GUIDELINE 201)

PERSISTENCE AND DEGRADABILITY

BIODEGRADABILITY AEROBIC - EXPOSURE TIME 28 D

RESULT: 28 % - NOT READILY BIODEGRADABLE.

(OECD TEST GUIDELINE 301B)

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB

ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED

IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC LIFE WITH LONG

LASTING EFFECTS.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

A LICENSED DISPOSAL COMPANY.

CONTAMINATED

DISPOSE OF AS UNUSED PRODUCT.

PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US) NOT DANGEROUS GOODS

IMDG

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Methyl undecylenate)

UN NUMBER: 3082
CLASS: 9
PACKING GROUP: III
EMS-NO: F-A, S-F
MARINE POLLUTANT: YES

IATA

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Methyl undecylenate)

UN NUMBER: 3082 CLASS: 9 PACKING GROUP: III

FURTHER INFORMATION EHS-MARK REQUIRED (IMDG CODE 2.10.3) FOR SINGLE

PACKAGINGS AND COMBINATION PACKAGINGS CONTAINING INNER PACKAGINGS WITH DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR SOLIDS.

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE

REPORTING REQUIREMENTS OF SARA TITLE III, SECTION

302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS # REVISION DATE

Methyl undecylenate 111-81-9

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS # REVISION DATE

Methyl undecylenate 111-81-9

CALIFORNIA PROP. 65

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS COMPONENTS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER.

BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX. ACUTE TOXICITY

AQUATIC ACUTE ACUTE AQUATIC TOXICITY AQUATIC CHRONIC CHRONIC AQUATIC TOXICITY H302 HARMFUL IF SWALLOWED.

H302 + H332HARMFUL IF SWALLOWED OR IF INHALED

H332 HARMFUL IF INHALED.

HMIS RATING

HEALTH HAZARD: CHRONIC HEALTH HAZARD: FLAMMABILITY: PHYSICAL HAZARD

NFPA RATING

HEALTH HAZARD: FIRE HAZARD: 1 REACTIVITY HAZARD:

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: **VOLATILE ORGANIC COMPOUNDS**

AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL ACGIH:

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION. AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.