# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

#### SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 31192

NAME: 2,3-Dimethylpyrazine

SYNONYMS:

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

#### SECTION 2. HAZARDS IDENTIFICATION

## CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 3), H226 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 SKIN IRRITATION (CATEGORY 2), H315

SERIOUS EYE DAMAGE (CATEGORY 1), H318 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

SIGNAL WORD **DANGER** 

## HAZARD STATEMENT(S)

H226	FLAMMABLE LIOUID AND VAPOUR.

HARMFUL IF SWALLOWED. H302 H315 CAUSES SKIN IRRITATION.

H318 CAUSES SERIOUS EYE DAMAGE.

#### P

11310	Chebes series es e l'estimate.	
H335	MAY CAUSE RESPIRATORY IRRITATION.	
PRECAUTIONARY STAT	FMFNT(S)	
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT	
1210	SURFACES NO SMOKING.	
P233	KEEP CONTAINER TIGHTLY CLOSED.	
P240		
	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.	
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/	
D0.10	LIGHTING/ EQUIPMENT.	
P242	USE ONLY NON-SPARKING TOOLS.	
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC	
	DISCHARGE.	
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/	
	SPRAY.	
P264	WASH SKIN THOROUGHLY AFTER HANDLING.	
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS	
	PRODUCT.	
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.	
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE	
	PROTECTION.	
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/	
	PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.	
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY	
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/	
	SHOWER.	
P304 + P340 + P312	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT	
	REST IN A POSITION COMFORTABLE FOR BREATHING, CALL	
	The state of the s	

P L A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL

UNWELL.

IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL P305 + P351 + P338 + P310

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A

POISON CENTER OR DOCTOR/PHYSICIAN.

P332 + P313IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/

ATTENTION.

P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE

REUSE.

**NONE** 

P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR

ALCOHOL-RESISTANT FOAM FOR EXTINCTION.

P403 + P233 STORE IN A WELL-VENTILATED PLACE, KEEP CONTAINER

TIGHTLY CLOSED.

P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT

**OTHERWISE** 

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_6H_8N_2$ 

MW: 108.14

CAS-NO. 5910-89-4

PURITY:  $\geq 99\%$  (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
2,3-Dimethylpyrazine		
	FLAM. LIQ. 3; ACUTE TOX. 4;	<= 100 %
	SKIN IRRIT. 2; EYE DAM. 1;	
	STOT SE 3; H226, H302, H315,	
	H318, H335	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### **SECTION 4. FIRST-AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN WASH OFF WITH SOAP AND PLENTY OF WATER.

CONSULT A PHYSICIAN. CONTACT

IN CASE OF EYE RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

**CONTACT** LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING

> BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

MOST IMPORTANT **SYMPTOMS AND** 

**EFFECTS, BOTH ACUTE** 

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND

SPECIAL TREATMENT

**NEEDED** 

NO DATA AVAILABLE

#### SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY **SUITABLE** 

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS CARBON OXIDES, NITROGEN OXIDES (NOX)

ARISING FROM THE SUBSTANCE OR MIXTURE

**PROCEDURES** 

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL** USE PERSONAL PROTECTIVE EQUIPMENT. AVOID PRECAUTIONS, BREATHING VAPOURS, MIST OR GAS. ENSURE **PROTECTIVE** ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. **EOUIPMENT AND EMERGENCY** BEWARE OF VAPOURS ACCUMULATING TO FORM

EXPLOSIVE CONCENTRATIONS. VAPOURS CAN

**ENVIRONMENTAL PRECAUTIONS** 

**METHODS AND** MATERIALS FOR **CONTAINMENT AND CLEANING UP** 

CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE

SECTION 13).

REFERENCE TO OTHER

**SECTIONS** 

FOR DISPOSAL SEE SECTION 13.

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE AVOID CONTACT WITH SKIN AND EYES. AVOID

HANDLING INHALATION OF VAPOUR OR MIST.

> KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD

UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT

UPRIGHT TO PREVENT LEAKAGE.

STORAGE CLASS (TRGS 510): FLAMMABLE LIQUIDS

Store at RT

**SPECIFIC END USE(S)** APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### EXPOSURE CONTROLS

APPROPRIATE HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND **ENGINEERING** 

CONTROLS AT THE END OF WORKDAY.

## PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

SPLASH CONTACT

MATERIAL: FLUORINATED RUBBER MINIMUM LAYER THICKNESS: 0.7 MM BREAK THROUGH TIME: 30 MIN

MATERIAL TESTED: VITOJECT (KCL 890, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING., THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTIPURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless to light yellow liquid

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING 11 - 13 °C

POINT/FREEZING POINT

INITIAL BOILING POINT 156 °C

AND BOILING RANGE

FLASH POINT 54 °C

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 1.02 at 25 °C

WATER SOLUBILITY NO DATA AVAILABLE

PARTITION COEFFICIENT: LOG POW: 0.66

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

## SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS

NO DATA AVAILABLE

**CONDITIONS TO AVOID** HEAT, FLAMES AND SPARKS.

**INCOMPATIBLE** STRONG OXIDIZING AGENTS, STRONG ACIDS **MATERIALS** 

HAZARDOUS DECOMPOSITION PRODUCTS OTHER DECOMPOSITION PRODUCTS - NO DATA

**AVAILABLE** 

IN THE EVENT OF FIRE: SEE SECTION 5

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 613 MG/KG

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

LD50 INTRAPERITONEAL - MOUSE - 1,390 MG/KG

**SKIN** NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

**RESPIRATORY OR SKIN** NO DATA AVAILABLE

GERM CELL NO DATA AVAILABLE

MUTAGENICITY

CARCINOGENICITY

**SENSITISATION** 

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

ACGIH: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY ACGIH.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN** INHALATION - MAY CAUSE RESPIRATORY IRRITATION.

AICH I - SINGLE IRRITAI

**EXPOSURE** 

**SPECIFIC TARGET ORGAN** 

TOXICITY - REPEATED

**EXPOSURE** 

NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: UQ2625000

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE

NOT BEEN THOROUGHLY INVESTIGATED.

## SECTION 12. ECOLOGICAL INFORMATION

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

**BIOACCUMULATIVE** 

**POTENTIAL** 

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND

VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

## SECTION 13. DISPOSAL CONSIDERATIONS

### WASTE TREATMENT METHODS

PRODUCT BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH

AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA

CARE IN IGNITING AS THIS MATERIAL IS HIGHLY

FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE

SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

#### SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S. (2,3-Dimethylpyrazine)

UN NUMBER: 199 CLASS: 3 PACKING GROUP: III

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S. (2,3-Dimethylpyrazine)

UN NUMBER: 1993 CLASS: 3 PACKING GROUP: III EMS-NO: F-E, S-E

**IATA** 

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S. (2,3-Dimethylpyrazine)

UN NUMBER: 1993 CLASS: 3 PACKING GROUP: III

## SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS

FIRE HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

2,3-Dimethylpyrazine 5910-89-4

## NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

2,3-Dimethylpyrazine 5910-89-4

#### CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

### **SECTION 16. OTHER INFORMATION**

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX.

EYE DAM.

EYE DAM.

FLAM. LIQ.

SERIOUS EYE DAMAGE
FLAMMABLE LIQUIDS

H226 FLAMMABLE LIQUID AND VAPOUR.

H302 HARMFUL IF SWALLOWED. H315 CAUSES SKIN IRRITATION.

H318 CAUSES SERIOUS EYE DAMAGE.

H335 MAY CAUSE RESPIRATORY IRRITATION.

SKIN IRRIT. SKIN IRRITATION

STOT SE SPECIFIC TARGET ORGAN TOXICITY - SINGLE

**EXPOSURE** 

**HMIS RATING** 

HEALTH HAZARD: 2

CHRONIC HEALTH

HAZARD:

FLAMMABILITY: 2 PHYSICAL HAZARD 0

NFPA RATING

HEALTH HAZARD: 2 FIRE HAZARD: 2 REACTIVITY HAZARD: 0

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT

TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1.

REVISION DATE: 01/27/2017