

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	31531
NAME:	1,2,2,6,6-Pentamethylpiperidine
SYNONYMS:	Pempidine PMP
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)**  
FLAMMABLE LIQUIDS (CATEGORY 3), H226  
ACUTE TOXICITY, ORAL (CATEGORY 3), H301

SKIN IRRITATION (CATEGORY 2), H315  
EYE IRRITATION (CATEGORY 2A), H319  
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3),  
RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE  
SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H226 FLAMMABLE LIQUID AND VAPOUR.  
H301 TOXIC IF SWALLOWED.  
H315 CAUSES SKIN IRRITATION.  
H319 CAUSES SERIOUS EYE IRRITATION.  
H335 MAY CAUSE RESPIRATORY IRRITATION.

**PRECAUTIONARY STATEMENT(S)**

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.  
P233 KEEP CONTAINER TIGHTLY CLOSED.  
P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.  
P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING/ EQUIPMENT.  
P242 USE ONLY NON-SPARKING TOOLS.  
P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.  
P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.  
P264 WASH SKIN THOROUGHLY AFTER HANDLING.  
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.  
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.  
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.  
P301 + P310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.  
P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.  
P304 + P340 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING.  
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.  
P312 CALL A POISON CENTER OR DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.  
P321 SPECIFIC TREATMENT (SEE SUPPLEMENTAL FIRST AID INSTRUCTIONS ON THIS LABEL).  
P330 RINSE MOUTH.

P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM FOR EXTINCTION.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
<b>HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS</b>	NONE

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

MF:	C <sub>10</sub> H <sub>21</sub> N
MW:	155.28
CAS-NO.	79-55-0
PURITY:	≥ 97%(T, GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
PEMPIDINE	FLAM. LIQ. 3; ACUTE TOX. 3; SKIN IRRIT. 2; EYE IRRIT. 2A; STOT SE 3; H226, H301, H315, H319, H335	-

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

### SECTION 4. FIRST-AID MEASURES

---

#### DESCRIPTION OF FIRST AID MEASURES

<b>GENERAL ADVICE</b>	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
<b>IF INHALED</b>	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
<b>IN CASE OF SKIN CONTACT</b>	WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL.CONSULT A PHYSICIAN.
<b>IN CASE OF EYE CONTACT</b>	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.
<b>IF SWALLOWED</b>	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
<b>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED</b>	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
<b>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</b>	NO DATA AVAILABLE

---

## **SECTION 5. FIRE AND EXPLOSION DATA**

---

### **EXTINGUISHING MEDIA**

<b>SUITABLE EXTINGUISHING MEDIA</b>	FOR SMALL (INCIPIENT) FIRES, USE MEDIA SUCH AS "ALCOHOL" FOAM, DRY CHEMICAL, OR CARBON DIOXIDE. FOR LARGE FIRES, APPLY WATER FROM AS FAR AS POSSIBLE. USE VERY LARGE QUANTITIES (FLOODING) OF WATER APPLIED AS A MIST OR SPRAY; SOLID STREAMS OF WATER MAY BE INEFFECTIVE. COOL ALL AFFECTED CONTAINERS WITH FLOODING QUANTITIES OF WATER.
<b>SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE</b>	NITROGEN OXIDES (NOX) CARBON OXIDES, NITROGEN OXIDES (NOX)
<b>ADVICE FOR FIREFIGHTERS</b>	WEAR SELF CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING IF NECESSARY.
<b>FURTHER INFORMATION</b>	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

<b>PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES</b>	WEAR RESPIRATORY PROTECTION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
<b>ENVIRONMENTAL PRECAUTIONS</b>	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
<b>METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP</b>	CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13).
<b>REFERENCE TO OTHER SECTIONS</b>	FOR DISPOSAL SEE SECTION 13.

---

**SECTION 7. HANDLING AND STORAGE**

---

<b>PRECAUTIONS FOR SAFE HANDLING</b>	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
<b>CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES</b>	STORE IN COOL PLACE. KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.  STORE UNDER INERT GAS. SENSITIVE TO CARBON DIOXIDE  Store at RT
<b>SPECIFIC END USE(S)</b>	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

### **CONTROL PARAMETERS**

#### **COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

### **EXPOSURE CONTROLS**

**APPROPRIATE ENGINEERING CONTROLS** AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY AFTER HANDLING THE PRODUCT.

### **PERSONAL PROTECTIVE EQUIPMENT**

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION** HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

#### **FULL CONTACT**

MATERIAL: FLUORINATED RUBBER  
MINIMUM LAYER THICKNESS: 0.7 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED: VITOJECT (KCL 890, SIZE M)

#### **SPLASH CONTACT**

MATERIAL: NATURE LATEX/CHLOROPRENE  
MINIMUM LAYER THICKNESS: 0.6 MM  
BREAK THROUGH TIME: 30 MIN  
MATERIAL TESTED: LAPREN (KCL 706, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

<b>BODY PROTECTION</b>	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
<b>RESPIRATORY PROTECTION</b>	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTIPURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
<b>CONTROL OF ENVIRONMENTAL EXPOSURE</b>	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

---

### **INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Colorless liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	187 - 188 °C
FLASH POINT	50 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	0.86
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

**OTHER SAFETY  
INFORMATION**

NO DATA AVAILABLE

---

**SECTION 10. STABILITY AND REACTIVITY**

---

**REACTIVITY**

NO DATA AVAILABLE

**CHEMICAL STABILITY**

STABLE UNDER RECOMMENDED STORAGE  
CONDITIONS.

**POSSIBILITY OF  
HAZARDOUS  
REACTIONS**

NO DATA AVAILABLE

**CONDITIONS TO AVOID**

HEAT, FLAMES AND SPARKS.

**INCOMPATIBLE  
MATERIALS**

STRONG ACIDS

**HAZARDOUS  
DECOMPOSITION  
PRODUCTS**

OTHER DECOMPOSITION PRODUCTS - NO DATA  
AVAILABLE  
IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

**ACUTE TOXICITY**

LD50 ORAL - MOUSE - 275 MG/KG

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN  
CORROSION/IRRITATION**

NO DATA AVAILABLE

**SERIOUS EYE  
DAMAGE/EYE IRRITATION**

NO DATA AVAILABLE

**RESPIRATORY OR SKIN  
SENSITISATION**

NO DATA AVAILABLE

**GERM CELL  
MUTAGENICITY**

NO DATA AVAILABLE

**CARCINOGENICITY**



IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	INHALATION - MAY CAUSE RESPIRATORY IRRITATION.
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE
<b>ADDITIONAL INFORMATION</b>	RTECS: TN2190000  TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

<b>TOXICITY</b>	NO DATA AVAILABLE
<b>PERSISTENCE AND DEGRADABILITY</b>	NO DATA AVAILABLE
<b>BIOACCUMULATIVE POTENTIAL</b>	NO DATA AVAILABLE
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE

**RESULTS OF PBT AND  
VPVB ASSESSMENT**

PBT/VPVB ASSESSMENT NOT AVAILABLE AS  
CHEMICAL SAFETY ASSESSMENT NOT  
REQUIRED/NOT CONDUCTED

**OTHER ADVERSE EFFECTS**

NO DATA AVAILABLE

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

**PRODUCT**

BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

**CONTAMINATED  
PACKAGING**

DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

**DOT (US)**

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, TOXIC, N.O.S. (PEMPIDINE)  
UN NUMBER: 1992  
CLASS: 3 (6.1)  
PACKING GROUP: III  
MARINE POLLUTANT: NO  
POISON INHALATION HAZARD: NO

**IMDG**

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, TOXIC, N.O.S. (PEMPIDINE)  
UN NUMBER: 1992  
CLASS: 3 (6.1)  
PACKING GROUP: III  
EMS-NO: F-E, S-D  
MARINE POLLUTANT: NO

**IATA**

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, TOXIC, N.O.S. (PEMPIDINE)  
UN NUMBER: 1992  
CLASS: 3 (6.1)  
PACKING GROUP: III

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS** SARA 302: NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

**SARA 313 COMPONENTS** SARA 313: THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**SARA 311/312 HAZARDS**  
FIRE HAZARD, ACUTE HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**  
NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

**PENNSYLVANIA RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
PEMPIDINE	79-55-0	

**NEW JERSEY RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
PEMPIDINE	79-55-0	

**CALIFORNIA PROP. 65 COMPONENTS**  
THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

---

**SECTION 16. OTHER INFORMATION**

---

**FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

ACUTE TOX.	ACUTE TOXICITY
EYE IRRIT.	EYE IRRITATION
FLAM. LIQ.	FLAMMABLE LIQUIDS
H226	FLAMMABLE LIQUID AND VAPOUR.
H301	TOXIC IF SWALLOWED.
H315	CAUSES SKIN IRRITATION.
H319	CAUSES SERIOUS EYE IRRITATION.
H335	MAY CAUSE RESPIRATORY IRRITATION.
SKIN IRRIT.	SKIN IRRITATION

**HMIS RATING**

HEALTH HAZARD:	1
CHRONIC HEALTH HAZARD:	

FLAMMABILITY: 2  
PHYSICAL HAZARD 0

**NFPA RATING**

HEALTH HAZARD: 1  
FIRE HAZARD: 2  
REACTIVITY HAZARD: 0

**MSDS LEGEND**

MW: MOLECULAR WEIGHT  
MF: MOLECULAR FORMULA  
VOC: VOLATILE ORGANIC COMPOUNDS  
ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL  
HYGINISTS  
CAS: CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBER  
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION  
PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)  
TLV: THRESHOLD LIMIT VALUE (ACGIH)

**IMPORTANT:**

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION:3.1.

REVISION DATE: 01/27/2017