# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 35908

NAME: Terbium(III) nitrate pentahydrate

SYNONYMS: Terbium trinitrate pentahydrate

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

# CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

OXIDIZING SOLIDS (CATEGORY 2), H272 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H272 MAY INTENSIFY FIRE; OXIDIZER.

H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE IRRITATION. H335 MAY CAUSE RESPIRATORY IRRITATION.

PRECAUTIONARY STATEMENT(S)

P210 KEEP AWAY FROM HEAT.

P220 KEEP/STORE AWAY FROM CLOTHING/ COMBUSTIBLE

MATERIALS.

P221 TAKE ANY PRECAUTION TO AVOID MIXING WITH

COMBUSTIBLES.

P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE

PROTECTION.

P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

P304 + P340 + P312 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT

REST IN A POSITION COMFORTABLE FOR BREATHING. CALL A POISON CENTER OR DOCTOR/ PHYSICIAN IF YOU FEEL

UNWELL.

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING.

P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/

ATTENTION.

P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/

ATTENTION.

P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE

REUSE.

P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR

ALCOHOL-RESISTANT FOAM FOR EXTINCTION.

P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER

TIGHTLY CLOSED.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

**OTHERWISE** 

**CLASSIFIED (HNOC)** 

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $Tb(NO_3)_3 \cdot 5H_2O$ 

MW: 435.02

CAS-NO. 57584-27-7

PURITY: ≥99.9% Metals basis (Tb : 35.2 - 37.8%)

COMPONENT	CLASSIFICATION	CONCENTRATION
Terbium(III) nitrate pentahydrate		
	OX. SOL. 2; SKIN IRRIT. 2; EYE	<= 100 %
	IRRIT. 2A; STOT SE 3; H272,	
	H315, H319, H335	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# SECTION 4. FIRST-AID MEASURES

# **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN WASH OFF WITH SOAP AND PLENTY OF WATER.

**CONTACT** CONSULT A PHYSICIAN.

IN CASE OF EYE RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

**CONTACT** LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

**IF SWALLOWED** NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

**MOST IMPORTANT** THE MOST IMPORTANT KNOWN SYMPTOMS AND

**SYMPTOMS AND** EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

EFFECTS, BOTH ACUTE AND DELAYED

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED NO DATA AVAILABLE

#### SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

SUITABLE DRY POWDER DRY SAND

**EXTINGUISHING MEDIA** 

**SPECIAL HAZARDS** NITROGEN OXIDES (NOX), TERBIUM OXIDES

ARISING FROM THE SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION** USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONALUSE PERSONAL PROTECTIVE EQUIPMENT. AVOIDPRECAUTIONS,DUST FORMATION. AVOID BREATHING VAPOURS, MISTPROTECTIVEOR GAS. ENSURE ADEQUATE VENTILATION.EQUIPMENT ANDEVACUATE PERSONNEL TO SAFE AREAS. AVOID

**EMERGENCY** BREATHING DUST. **PROCEDURES** 

FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL** DO NOT LET PRODUCT ENTER DRAINS. **PRECAUTIONS** 

METHODS ANDSWEEP UP AND SHOVEL. CONTAIN SPILLAGE, ANDMATERIALS FORTHEN COLLECT WITH AN ELECTRICALLY PROTECTEDCONTAINMENT ANDVACUUM CLEANER OR BY WET-BRUSHING AND PLACECLEANING UPIN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL

REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE,

CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER** FOR DISPOSAL SEE SECTION 13.

SECTIONS

### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION

POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.KEEP AWAY

FROM HEAT AND SOURCES OF IGNITION. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

ANY INCOMPATIBILITIES HYGROSCOPIC

Store at RT

**SPECIFIC END USE(S)** 

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

# COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATEHANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENEENGINEERINGAND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND

**CONTROLS** AT THE END OF WORKDAY.

# PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE** SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TO PROTECTION EN166 USE EQUIPMENT FOR EYE PROTECTION TESTED AND

APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS

SUCH AS NIOSH (US) OR EN 166(EU).

SKIN HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR

**PROTECTION** TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE

(WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID

SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF

CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES.

WASH AND DRY HANDS.

**BODY** IMPERVIOUS CLOTHING, THE TYPE OF PROTECTIVE

**PROTECTION** EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS

SUBSTANCE AT THE SPECIFIC WORKPLACE.

**RESPIRATORY** WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING

**PROTECTION** RESPIRATORS ARE APPROPRIATE USE A FULLFACE PARTICLE

RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A

FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR CEN (EU).

CONTROL OF

ENVIRONMENTAL EXPOSURE

DO NOT LET PRODUCT ENTER DRAINS.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White powder

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

**MELTING** 

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE

OXIDIZING PROPERTIES THE SUBSTANCE OR MIXTURE IS CLASSIFIED AS

OXIDIZING WITH THE CATEGORY 2.

# OTHER SAFETY INFORMATION

NO DATA AVAILABLE

# SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

**CONDITIONS TO AVOID** NO DATA AVAILABLE

INCOMPATIBLE MATERIALS

STRONG REDUCING AGENTS, STRONG ACIDS

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - NITROGEN OXIDES (NOX),

TERBIUM OXIDES

OTHER DECOMPOSITION PRODUCTS - NO DATA

**AVAILABLE** 

IN THE EVENT OF FIRE: SEE SECTION 5

# SECTION 11. TOXICOLOGICAL INFORMATION

# INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN** NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN **SENSITISATION** 

NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

**CARCINOGENICITY** 

NO COMPONENT OF THIS PRODUCT PRESENT AT IARC:

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NO COMPONENT OF THIS PRODUCT PRESENT AT NTP:

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON

OSHA S LIST OF REGULATED CARCINOGENS.

NO DATA AVAILABLE REPRODUCTIVE TOXICITY

**SPECIFIC TARGET ORGAN** 

TOXICITY - SINGLE

**EXPOSURE** 

INHALATION - MAY CAUSE RESPIRATORY

IRRITATION.

**SPECIFIC TARGET ORGAN TOXICITY - REPEATED** 

**EXPOSURE** 

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL **INFORMATION**  RTECS: NOT AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE

NOT BEEN THOROUGHLY INVESTIGATED.

#### **SECTION 12. ECOLOGICAL INFORMATION**

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND **DEGRADABILITY** 

NO DATA AVAILABLE

**BIOACCUMULATIVE** 

POTENTIAL

NO DATA AVAILABLE

**MOBILITY IN SOIL** 

NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

# WASTE TREATMENT METHODS

**PRODUCT** OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

> TO A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS

MATERIAL.

**CONTAMINATED PACKAGING** 

DISPOSE OF AS UNUSED PRODUCT.

#### TRANSPORT INFORMATION **SECTION 14.**

DOT (US)

PROPER SHIPPING NAME: NITRATES, INORGANIC, N.O.S.

1477 UN NUMBER: 5.1 CLASS: PACKING GROUP: II

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: NITRATES, INORGANIC, N.O.S.

UN NUMBER: 1477 5.1 CLASS: PACKING GROUP: II

EMS-NO: F-A, S-Q **IATA** 

PROPER SHIPPING NAME: NITRATES, INORGANIC, N.O.S.

UN NUMBER: 1477 CLASS: 5.1 PACKING GROUP: II

# **SECTION 15. REGULATORY INFORMATION**

SARA 302 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY

COMPONENTS WITH A SECTION 302 EHS TPQ

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS REACTIVITY HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Terbium(III) nitrate 57584-27-7 03-01-2007

pentahydrate

# SECTION 16. OTHER INFORMATION

# FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H272 MAY INTENSIFY FIRE; OXIDIZER.

H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE IRRITATION. H335 MAY CAUSE RESPIRATORY IRRITATION.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

# IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

*VERSION: 3.1. REVISION DATE: 01/27/2017*