

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	36800
NAME:	Triethylamine trihydrofluoride
SYNONYMS:	Hydrogen fluoride triethylamine TREAT-HF
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 2), H300

ACUTE TOXICITY, INHALATION (CATEGORY 1), H330

ACUTE TOXICITY, DERMAL (CATEGORY 2), H310

SKIN CORROSION (CATEGORY 1A), H314

SERIOUS EYE DAMAGE (CATEGORY 1), H318

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H300 + H310 + H330 FATAL IF SWALLOWED, IN CONTACT WITH SKIN OR IF INHALED.
H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)

P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.
P262 DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P284 WEAR RESPIRATORY PROTECTION.
P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR. RINSE MOUTH.
P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.
P302 + P350 + P310 IF ON SKIN: GENTLY WASH WITH PLENTY OF SOAP AND WATER. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.
P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.
P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P405 STORE LOCKED UP.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE**

STRONG HYDROGEN FLUORIDE-RELEASER

**CLASSIFIED (HNOC)
OR NOT COVERED
BY GHS**

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: C6H18F3N

MW: 161.21

CAS-NO. 73602-61-6

PURITY: $\geq 99\%$ (Assay by titration)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Triethylamine trihydrofluoride		
	ACUTE TOX. 2; ACUTE TOX. 1; ACUTE TOX. 2; SKIN CORR. 1A; EYE DAM. 1; H300, H330, H310, H314, H318	$\leq 100\%$

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE

HYDROFLUORIC (HF) ACID BURNS REQUIRE IMMEDIATE AND SPECIALIZED FIRST AID AND MEDICAL TREATMENT. SYMPTOMS MAY BE DELAYED UP TO 24 HOURS DEPENDING ON THE CONCENTRATION OF HF. AFTER DECONTAMINATION WITH WATER, FURTHER DAMAGE CAN OCCUR DUE TO PENETRATION/ABSORPTION OF THE FLUORIDE ION. TREATMENT SHOULD BE DIRECTED TOWARD BINDING THE FLUORIDE ION AS WELL AS THE EFFECTS OF EXPOSURE. SKIN EXPOSURES CAN BE TREATED WITH A 2.5% CALCIUM GLUCONATE GEL REPEATED UNTIL BURNING CEASES. MORE SERIOUS SKIN EXPOSURES MAY REQUIRE SUBCUTANEOUS CALCIUM GLUCONATE EXCEPT FOR DIGITAL AREAS UNLESS THE PHYSICIAN IS EXPERIENCED IN THIS TECHNIQUE, DUE TO THE POTENTIAL FOR TISSUE INJURY FROM INCREASED PRESSURE. ABSORPTION CAN READILY OCCUR THROUGH THE SUBUNGUAL AREAS AND SHOULD BE

CONSIDERED WHEN UNDERGOING DECONTAMINATION. PREVENTION OF ABSORPTION OF THE FLUORIDE ION IN CASES OF INGESTION CAN BE OBTAINED BY GIVING MILK, CHEWABLE CALCIUM CARBONATE TABLETS OR MILK OF MAGNESIA TO CONSCIOUS VICTIMS. CONDITIONS SUCH AS HYPOCALCEMIA, HYPOMAGNESEMIA AND CARDIAC ARRHYTHMIAS SHOULD BE MONITORED FOR, SINCE THEY CAN OCCUR AFTER EXPOSURE. CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT OF DANGEROUS AREA. CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT OF DANGEROUS AREA. HYDROFLUORIC (HF) ACID BURNS REQUIRE IMMEDIATE AND SPECIALIZED FIRST AID AND MEDICAL TREATMENT. SYMPTOMS MAY BE DELAYED UP TO 24 HOURS DEPENDING ON THE CONCENTRATION OF HF. AFTER DECONTAMINATION WITH WATER, FURTHER DAMAGE CAN OCCUR DUE TO PENETRATION/ABSORPTION OF THE FLUORIDE ION. TREATMENT SHOULD BE DIRECTED TOWARD BINDING THE FLUORIDE ION AS WELL AS THE EFFECTS OF EXPOSURE. SKIN EXPOSURES CAN BE TREATED WITH A 2.5% CALCIUM GLUCONATE GEL REPEATED UNTIL BURNING CEASES. MORE SERIOUS SKIN EXPOSURES MAY REQUIRE SUBCUTANEOUS CALCIUM GLUCONATE EXCEPT FOR DIGITAL AREAS UNLESS THE PHYSICIAN IS EXPERIENCED IN THIS TECHNIQUE, DUE TO THE POTENTIAL FOR TISSUE INJURY FROM INCREASED PRESSURE. ABSORPTION CAN READILY OCCUR THROUGH THE SUBUNGUAL AREAS AND SHOULD BE CONSIDERED WHEN UNDERGOING DECONTAMINATION. PREVENTION OF ABSORPTION OF THE FLUORIDE ION IN CASES OF INGESTION CAN BE OBTAINED BY GIVING MILK, CHEWABLE CALCIUM CARBONATE TABLETS OR MILK OF MAGNESIA TO CONSCIOUS VICTIMS. CONDITIONS SUCH AS HYPOCALCEMIA, HYPOMAGNESEMIA AND CARDIAC ARRHYTHMIAS SHOULD BE MONITORED FOR, SINCE THEY CAN OCCUR AFTER EXPOSURE.

IF INHALED

IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

IN CASE OF SKIN CONTACT

TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A PHYSICIAN. FIRST TREATMENT WITH CALCIUM GLUCONATE PASTE.

IN CASE OF EYE CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A

	PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, NITROGEN OXIDES (NOX), HYDROGEN FLUORIDE COMBUSTIBLE.
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	WEAR RESPIRATORY PROTECTION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

**METHODS AND
MATERIALS FOR
CONTAINMENT AND
CLEANING UP**

SOAK UP WITH INERT ABSORBENT MATERIAL AND
DISPOSE OF AS HAZARDOUS WASTE. KEEP IN
SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE
HANDLING**

AVOID CONTACT WITH SKIN AND EYES. AVOID
INHALATION OF VAPOUR OR MIST.
FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE
STORAGE, INCLUDING
ANY INCOMPATIBILITIES**

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND
WELL-VENTILATED PLACE. CONTAINERS WHICH ARE
OPENED MUST BE CAREFULLY RESEALED AND KEPT
UPRIGHT TO PREVENT LEAKAGE.
DO NOT STORE IN GLASS

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2
NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

**APPROPRIATE
ENGINEERING
CONTROLS**

AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
WASH HANDS BEFORE BREAKS AND IMMEDIATELY
AFTER HANDLING THE PRODUCT.

PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE
PROTECTION**

TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-
INCH MINIMUM). USE EQUIPMENT FOR EYE
PROTECTION TESTED AND APPROVED UNDER
APPROPRIATE GOVERNMENT STANDARDS SUCH AS
NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.4 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:CAMATRIL (KCL 730, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.2 MM

BREAK THROUGH TIME: 49 MIN

MATERIAL TESTED:DERMATRIL P (KCL 743, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless to light yellow clear liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	0.989 g/mL at 25 °C
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	REACTS DANGEROUSLY WITH GLASS.

**INCOMPATIBLE
MATERIALS**

STRONG OXIDIZING AGENTS, GLASS

**HAZARDOUS
DECOMPOSITION
PRODUCTS**

HAZARDOUS DECOMPOSITION PRODUCTS FORMED
UNDER FIRE CONDITIONS. - CARBON OXIDES,
NITROGEN OXIDES (NOX), HYDROGEN FLUORIDE
OTHER DECOMPOSITION PRODUCTS - NO DATA
AVAILABLE
IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS**ACUTE TOXICITY**

NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN
CORROSION/IRRITATION**

NO DATA AVAILABLE

**SERIOUS EYE
DAMAGE/EYE IRRITATION**

NO DATA AVAILABLE

**RESPIRATORY OR SKIN
SENSITISATION**

NO DATA AVAILABLE

**GERM CELL
MUTAGENICITY**

NO DATA AVAILABLE

CARCINOGENICITY

IARC:

NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS PROBABLE, POSSIBLE OR
CONFIRMED HUMAN CARCINOGEN BY IARC.

NTP:

NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS A KNOWN OR ANTICIPATED
CARCINOGEN BY NTP.

OSHA:

NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON
OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	<p>RTECS: NOT AVAILABLE</p> <p>MATERIAL REACTS WITH MOISTURE ON THE SKIN, EYES, AND MUCOUS MEMBRANES TO GENERATE HYDROGEN FLUORIDE. HYDROGEN FLUORIDE IS EXTREMELY DESTRUCTIVE AND MAY CAUSE DEEP PROGRESSIVE BURNS THAT INDUCE SUBCUTANEOUS TISSUES TO BECOME BLANCHED AND BLOODLESS RESULTING IN LESIONS OF DEAD TISSUE THAT ARE SLOW TO HEAL.</p> <p>FLUORIDE ION CAN REDUCE SERUM CALCIUM LEVELS POSSIBLY CAUSING FATAL HYPOCALCEMIA.</p> <p>MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN., COUGH, SHORTNESS OF BREATH, HEADACHE, NAUSEA</p> <p>FLUORIDE ION CAN REDUCE SERUM CALCIUM LEVELS POSSIBLY CAUSING FATAL HYPOCALCEMIA.</p>

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME:	TOXIC LIQUIDS, CORROSIVE, ORGANIC, N.O.S. (TRIETHYLAMMONIUM FLUORIDE)
UN NUMBER:	2927
CLASS:	6.1 (8)
PACKING GROUP:	I
REPORTABLE QUANTITY(RQ):	
POISON INHALATION HAZARD:	NO

IMDG

PROPER SHIPPING NAME:	TOXIC LIQUIDS, CORROSIVE, ORGANIC, N.O.S. (TRIETHYLAMMONIUM FLUORIDE)
UN NUMBER:	2927
CLASS:	6.1 (8)
PACKING GROUP:	I
EMS-NO:	F-A, S-B

IATA

PROPER SHIPPING NAME:	TOXIC LIQUIDS, CORROSIVE, ORGANIC, N.O.S. (TRIETHYLAMMONIUM FLUORIDE)
UN NUMBER:	2927
CLASS:	6.1 (8)
PACKING GROUP:	I

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.
SARA 311/312 HAZARDS	ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Triethylamine trihydrofluoride	73602-61-6	

NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Triethylamine trihydrofluoride	73602-61-6	

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H300 + H310 + H330	FATAL IF SWALLOWED, IN CONTACT WITH SKIN OR IF INHALED.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS
CAS:	CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.1

REVISION DATE: 01/27/2017