

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	37290
NAME:	Sodium hypochlorite solution
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)
SKIN CORROSION (CATEGORY 1B), H314
SERIOUS EYE DAMAGE (CATEGORY 1), H318
SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400
LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENT(S)

P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P273 AVOID RELEASE TO THE ENVIRONMENT.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.
P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.
P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P391 COLLECT SPILLAGE.
P405 STORE LOCKED UP.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED
BY GHS**

CONTACT WITH ACIDS LIBERATES TOXIC GAS.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	NaClO
MW:	74.44
CAS-NO.	7681-52-9

PURITY: $\geq 14.2\%$ (Chlorine content)
 $\geq 12.5\%$ (Sodium hypochlorite)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Sodium hypochlorite solution		
	SKIN CORR. 1B; EYE DAM. 1; AQUATIC ACUTE 1; AQUATIC CHRONIC 1; H314, H318, H400, H410 M-FACTOR - AQUATIC ACUTE: 10 M-FACTOR - AQUATIC CHRONIC: 10	$\leq 100\%$

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	FIRST AIDER NEEDS TO PROTECT HIMSELF. SHOW THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	AFTER INHALATION: FRESH AIR. CALL IN PHYSICIAN.
IN CASE OF SKIN CONTACT	IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. CALL A PHYSICIAN IMMEDIATELY.
IN CASE OF EYE CONTACT	AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.
IF SWALLOWED	AFTER SWALLOWING: MAKE VICTIM DRINK WATER (TWO GLASSES AT MOST), AVOID VOMITING (RISK OF PERFORATION). CALL A PHYSICIAN IMMEDIATELY. DO NOT ATTEMPT TO NEUTRALISE.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND	NO DATA AVAILABLE

**SPECIAL TREATMENT
NEEDED**

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

**SUITABLE
EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA
USE EXTINGUISHING MEASURES THAT ARE
APPROPRIATE TO LOCAL CIRCUMSTANCES AND THE
SURROUNDING ENVIRONMENT.

UNSUITABLE EXTINGUISHING MEDIA
FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF
EXTINGUISHING AGENTS ARE GIVEN.

**SPECIAL HAZARDS
ARISING FROM THE
SUBSTANCE OR MIXTURE**

NATURE OF DECOMPOSITION PRODUCTS NOT
KNOWN. NOT COMBUSTIBLE.
AMBIENT FIRE MAY LIBERATE HAZARDOUS VAPOURS.

**ADVICE FOR
FIREFIGHTERS**

STAY IN DANGER AREA ONLY WITH SELF-CONTAINED
BREATHING APPARATUS. PREVENT SKIN CONTACT BY
KEEPING A SAFE DISTANCE OR BY WEARING
SUITABLE PROTECTIVE CLOTHING.

FURTHER INFORMATION

SUPPRESS (KNOCK DOWN) GASES/VAPORS/MISTS
WITH A WATER SPRAY JET. PREVENT FIRE
EXTINGUISHING WATER FROM CONTAMINATING
SURFACE WATER OR THE GROUND WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND
EMERGENCY
PROCEDURES**

ADVICE FOR NON-EMERGENCY PERSONNEL: DO NOT
BREATHE VAPORS, AEROSOLS. AVOID SUBSTANCE
CONTACT. ENSURE ADEQUATE VENTILATION.
EVACUATE THE DANGER AREA, OBSERVE
EMERGENCY PROCEDURES, CONSULT AN EXPERT.
FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL
PRECAUTIONS**

DO NOT LET PRODUCT ENTER DRAINS.

**METHODS AND
MATERIALS FOR
CONTAINMENT AND
CLEANING UP**

COVER DRAINS. COLLECT, BIND, AND PUMP OFF
SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS
(SEE SECTIONS 7 AND 10). DISPOSE OF PROPERLY.
CLEAN UP AFFECTED AREA.

REFERENCE TO OTHER SECTIONS FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES TIGHTLY CLOSED.
DO NOT STORE NEAR ACIDS.

Store at 2 - 8 °C

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2
NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
Sodium hypochlorite solution	7681-52-9	STEL	2 MG/M3	USA. WORKPLACE ENVIRONMENTAL EXPOSURE LEVELS (WEEL)

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS

IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE AFTER WORKING WITH SUBSTANCE.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
TIGHTLY FITTING SAFETY GOGGLES

SKIN PROTECTION

FULL CONTACT
MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT
MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

BODY PROTECTION

PROTECTIVE CLOTHING

RESPIRATORY PROTECTION

REQUIRED WHEN VAPOURS/AEROSOLS ARE GENERATED.
OUR RECOMMENDATIONS ON FILTERING RESPIRATORY PROTECTION ARE BASED ON THE FOLLOWING STANDARDS: DIN EN 143, DIN 14387 AND OTHER ACCOMPANYING STANDARDS RELATING TO THE USED RESPIRATORY PROTECTION SYSTEM.

CONTROL OF ENVIRONMENTAL EXPOSURE

DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Pale yellow or greenish liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	23.3 HPA AT 20 °C
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	1.206 g/mL at 25 °C
WATER SOLUBILITY	COMPLETELY MISCIBLESOLUBLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE

AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD AMBIENT CONDITIONS (ROOM TEMPERATURE).
POSSIBILITY OF HAZARDOUS REACTIONS	VIOLENT REACTIONS POSSIBLE WITH:, THE GENERALLY KNOWN REACTION PARTNERS OF WATER., GENERATES DANGEROUS GASES OR FUMES IN CONTACT WITH:, ACIDS
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	STRONG ACIDS, ORGANIC MATERIALS, POWDERED METALS, FORMS SHOCK-SENSITIVE MIXTURES WITH CERTAIN OTHER MATERIALS., AMINES, REACTS VIOLENTLY WITH AMMONIUM SALTS, AZIRIDINE, METHANOL, AND PHENYLACETO PRIMARY ALIPHATIC OR AROMATIC AMINES TO FORM EXPLOSIVELY UNSTABLE N-CHLOR 55 C.
HAZARDOUS DECOMPOSITION PRODUCTS	OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - NATURE OF DECOMPOSITION PRODUCTS NOT KNOWN. IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	MIXTURE CAUSES BURNS.
SERIOUS EYE DAMAGE/EYE IRRITATION	MIXTURE CAUSES SERIOUS EYE DAMAGE. RISK OF BLINDNESS!
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	ACUTE ORAL TOXICITY - IF INGESTED, SEVERE BURNS OF THE MOUTH AND THROAT, AS WELL AS A DANGER OF PERFORATION OF THE ESOPHAGUS AND THE STOMACH. ACUTE INHALATION TOXICITY - MUCOSAL IRRITATIONS, COUGH, SHORTNESS OF BREATH, POSSIBLE DAMAGES:, DAMAGE OF RESPIRATORY TRACT
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE

**ADDITIONAL
INFORMATION**

RTECS: NOT AVAILABLE

BURNING SENSATION, COUGH, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

OTHER DANGEROUS PROPERTIES CAN NOT BE EXCLUDED.
HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	WASTE MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH THE NATIONAL AND LOC NO MIXING WITH OTHER WASTE. HANDLE UNCLEARED CONTAINERS LIKE THE PRODUCT FOR PROCESSES REGARDING THE RETURN OF CHEMICALS AND CONTAINERS, OR CONTACT US THERE IF YOU HAVE FURTHER QUESTIONS.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. **TRANSPORT INFORMATION**

DOT (US)

PROPER SHIPPING NAME:	HYPOCHLORITE SOLUTIONS
UN NUMBER:	1791
CLASS:	8
PACKING GROUP:	III
REPORTABLE QUANTITY (RQ):	666 LBS
POISON INHALATION HAZARD:	NO

IMDG

PROPER SHIPPING NAME:	HYPOCHLORITE SOLUTIONS
UN NUMBER:	1791
CLASS:	8
PACKING GROUP:	III
EMS-NO:	F-A, S-B
MARINE POLLUTANT:	YES

IATA

PROPER SHIPPING NAME:	HYPOCHLORITE SOLUTIONS
UN NUMBER:	1791
CLASS:	8
PACKING GROUP:	III

SECTION 15. **REGULATORY INFORMATION**

SARA 302 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 302 EHS TPQ.
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS

ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION:3.2

REVISION DATE: 07/01/2020